Monday, 22/09/2008 2:01:00 PM Linda Lacelle **Process Sheet** Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : BRACKET ASSEMBLY Job Number : 42193 **Estimate Number** : 10281 P.O. Number : D3183043 **Part Number** This Issue : 22/09/2008 S.O. No. : **Drawing Number** : D3183 REV C1 Prsht Rev. : NC Project Number : N/A First Issue : 11 : MACHINED PARTS Type : C1 **Drawing Revision** Previous Run : 39924 Material Written By **Due Date** : 25/10/2008 Checked & Approved By Comment : Est Rev: Mck:A 04.02.18 New issue KJ/DS Est Rev:B Changed Mat Size 08-06-26 JLM Verified By:EC Additional Product Job Number: Seq. #: Machine Or Operation: Description : 1.0 M174B1500X02250 17-4 SS Bar 1.50 X2.250 Comment: Qty.: 0.4812 f(s)/Unit Total: 12.0304 f(s) Material: 17-4 SS Bar per AMS 5604/5643 (M17-4-B1.500x02.25) Identify for D3183-043 Batch: MINESCO × 92 2.0 BAND SAW BAND SAW 2.250 Comment: BAND SAW Cut blanks: (1.500" x 2-000") 5.500" long 3.0 HAAS CNC VERTICAL MACHINING #1

Comment: HAAS CNC VERTICAL MACHINING #1

Globus

1-Machine D3183-3 as per Folio TA322 and Dwg D3183 Identify as D3183-3

2-Deburr

3-Scribe batch number

# **Process Sheet**

-Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BRACKET ASSEMBLY

Job Number: 42193

Part Number: D3183043

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

5.0

QCE

SECOND CHECK



Comment: SECOND CHE

6.0

D312121



Comment: Qty.:

2.0000 Each(s)/Unit Total: 50.0000 Each(s)

Pick:

**Qty Part Number** 


2 D3121-21

Description Batch Bolt <u>B 4353</u>6

7.0

D3183045

Bearing Assembly



Comment: Qty.:

2.0000 Each(s)/Unit Total: 50.0000 Each(s)

Pick:

**Qty Part Number** 

Description Batch

2 D3183-045 Bearing Ass

SMALL FAB

SMALL & MEDIUM FAB RESOUR



Comment: SMALL & MEDIUM FAB RESOURCE 1

Assemble D3183-043 as per Dwg D3183.

QC5

INSPECT WORK TO CURRENT STEP



9.0

Comment: INSPECT WORK TO CURRENT STEP

10.0

8.0

PACKAGING

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:



11.0 QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion




MF 08-12-10





DESIGN	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CA	
CHECKE	APPROVED	DRAWING NO.	REV. SHEET 1 OF
DATE	04.02.17	BRACKET ASSEMBLY	SCAL 1
Α	03.01.24	NEW ISSUE	



-	AIE	04.02.17	BRACKET ASSEMBLY	SCA
	Α	03.01.24	NEW ISSUE	
	В	03.06.17	REMOVE BEARING; 1.012 WS 0.882	
	С	,04.02.17	ADD -045/-9; 0.182 WAS 0.431	
	CI	- 4 04.11.09	0.830 WAS 0.850 .	

D3121-21 BOLT (1) D3183-045 BEARING ASSEMBLY (1) D3121-21 BOLT (1) D3183-045 BEARING ASSEMBLY (1 OR


D3183-1 BRACKET FOR -041 (SHOWN)

D3183-2 BRACKET FOR -042 (OPPOSITE) OR

D3183-3 BRACKET FOR -043 (SIMILAR) OR


D3183-4 BRACKET FOR -044 (SIMILAR)

D3183-041 BRACKET ASSEMBLY (SHOWN)
D3183-042 BRACKET ASSEMBLY (OPPOSITE)
D3183-043 BRACKET ASSEMBLY (SIMILAR) D3183-044 BRACKET ASSEMBLY (SIMILAR)



### D3183-5 BEARING: SPECIFICATION CONTROL DRAWING

- 1) SINGLE ROW, DEEP GROOVE, CONRAD TYPE, SHIELDED 2) POSSIBLE SUPPLIER: NSK P/N 6800ZZ
- 3) ALL DIMENSIONS ARE IN INCHES




## **D3183-7 WASHER**

- 1) MATERIAL: AISI 303 ROUND BAR (M303R) ANNEALED
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010 3) TOLERANCES ARE PER DART QSI 018
- UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

#### COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







DESIGN	DRAWN BY	T
CHECKED	APPROVED	1
DATE	1 19	+

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA

DRAWING NO.

REV. C


D3183 TITLE

SHEET 4 OF 4 SCALE

04.02.17

0.032

BRACKET ASSEMBLY



**DETAIL A (2:1)** 

**DETAIL B (20:1)** 

0.050 (TYP 0.025 (TYP)

# 0.276 0.199±0.001 0.039 R0.031 0.720 -0.850±0.002 0.830 0.747 ±0.001 (c) R0.010 SECTION C-C SCALE 2:1

### D3183-9 CAP

- 1) MATERIAL: DELRIN ROD, Ø1.00 (REF DART SPEC. M-DELRIN-R1.00) 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

#### D3183-045 BEARING ASSEMBLY

1) ASSEMBLE D3183-5 BEARING AND D3183-9 CAP

### COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	42193-
Description: Bracket	Part Number:	D3183-3
Inspection Dwg: D3183 Rev: C1		Page 1 of 1

# FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype
X	First Article	Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
R0.190	+/-0.030	A.187	. /	-		
R0.063	+/-0.010	R 063	J			
0.182	+/-0.010	178	V.			
0.070	+/-0.010	1973	1			
0.100	+/-0.010	.099	1			
Ø0.201 x 0.100	+/-0.010	D.97 x. 193	1			
0.182	+/-0.010	178	~			
5.32	+/-0.030	5.32	V			
5.036	+/-0.010	5.035	V			
2.120	+/-0.010	2,120	~			
1.290	+/-0.010	1 285	1			
0.365	+/-0.010	-364	1			
0.218	+/-0.010	016.	V			
1.030	+/-0.010	1 030	V			
1.90	+/-0.030	1.88	1			
1.012	+/-0.010	1.016	V			
Ø0.201 x 0.100	+/-0.010	8.30LX.097	~			
0.786	+/-0.010	.786	~			
Ø0.392	+0.002/-0.000	373	1			A 1951/
R0.19	+/-0.030	R .185	V			43 1 44 1 1 2 3 W
3.954	+/-0.010	3 956	~			X# 104.05
0.162	+/-0.010	3/29	V			102 a 7 (200 f 1)
R0.19	+/-0.030	8.187	1			2.00
R0.25	+/-0.030	R.25	/			And Displayed
4.26	+/-0.030	4.26	V			227
2.080	+/-0.030	2.110	. /			
1.155	+/-0.010	1.150				A 17 (
0.162	+/-0.010	.166			14.	
0.36	+/-0.030	360	V			2011
~0.615	+/-0.010	.415	V			
0.435	+/-0.010	.438	J			
0.200	+/-0.010	,205	7			
0.381	+/-0.010	.381	1		-	
0.032	+/-0.010	160.	~			

Measured by: Ames	Audited by:	Prototype Approval:	N/A	
Date: 08/12/08	Date: 08/17/10	Date:	N/A	

Rev	Date	Change	Revised by	Approved
		New Issue P/O D3183-043	KJ/RF	
В	04.03.15	Changes as per revision C	KJ/JLM/RF	<del>                                     </del>
С	06.03.09	Dwg Rev update	KI/II M	
D	08.01.28	0.182 dimension removed	KJEC/DD	N/